



RPE65 gene

RPE65, retinoid isomerohydrolase

Normal Function

The *RPE65* gene provides instructions for making a protein that is essential for normal vision. The RPE65 protein is produced in a thin layer of cells at the back of the eye called the retinal pigment epithelium (RPE). This cell layer supports and nourishes the retina, which is the light-sensitive tissue that lines the back of the eye.

The RPE65 protein is involved in a multi-step process called the visual cycle, which converts light entering the eye into electrical signals that are transmitted to the brain. When light hits photosensitive pigments in the retina, it changes a molecule called 11-cis retinal (a form of vitamin A) to another molecule called all-trans retinal. This conversion triggers a series of chemical reactions that create electrical signals. The RPE65 protein then helps convert all-trans retinal back to 11-cis retinal so the visual cycle can begin again.

Health Conditions Related to Genetic Changes

[fundus albipunctatus](#)

[Leber congenital amaurosis](#)

More than 30 mutations in the *RPE65* gene have been found to cause Leber congenital amaurosis. Mutations in this gene account for 6 to 16 percent of all cases of this condition.

RPE65 gene mutations lead to a partial or total loss of RPE65 protein function. As a result, all-trans retinal cannot be converted back to 11-cis retinal, and excess 11-cis retinal builds up in the retinal pigment epithelium. These abnormalities block the visual cycle, which leads to severe visual impairment beginning very early in life.

[retinitis pigmentosa](#)

[other disorders](#)

More than 20 mutations in the *RPE65* gene have been identified in people with another eye disorder called retinitis pigmentosa. This condition is characterized by progressive vision loss caused by the gradual degeneration of light-sensing cells in the retina. The first sign of retinitis pigmentosa is usually a loss of night vision, which often becomes apparent in childhood. Over a period of years, the disease


progresses to disrupt side (peripheral) vision and central vision. It may eventually lead to blindness.

The *RPE65* gene mutations that cause retinitis pigmentosa disrupt RPE65 protein function, which leads to vision loss by impairing the visual cycle. Mutations in this gene appear to be an uncommon cause of retinitis pigmentosa; these genetic changes are responsible for only a small percentage of all cases.

Chromosomal Location

Cytogenetic Location: 1p31.3, which is the short (p) arm of chromosome 1 at position 31.3

Molecular Location: base pairs 68,428,822 to 68,450,322 on chromosome 1 (Homo sapiens Annotation Release 108, GRCh38.p7) (NCBI)



Credit: Genome Decoration Page/NCBI

Other Names for This Gene

- all-trans-retinyl-palmitate hydrolase
- BCO3
- LCA2
- mRPE65
- p63
- RBP-binding membrane protein
- rd12
- retinal pigment epithelium-specific 65 kDa protein
- retinal pigment epithelium specific protein 65
- retinal pigment epithelium-specific protein 65kDa
- retinitis pigmentosa 20 (autosomal recessive)
- retinoid isomerohydrolase

- retinol isomerase
- RP20
- RPE65_HUMAN
- sRPE65

Additional Information & Resources

Educational Resources

- National Eye Institute: Diagram of the Eye
<https://nei.nih.gov/health/eyediagram/>
- Neuroscience (second edition, 2001): The Retina
<https://www.ncbi.nlm.nih.gov/books/NBK10885/>
- Retina International: RPE65 Gene Mutation Database
<http://www.retina-international.org/files/sci-news/rpe65mut.htm>

GeneReviews

- Leber Congenital Amaurosis
<https://www.ncbi.nlm.nih.gov/books/NBK1298>
- Nonsyndromic Retinitis Pigmentosa Overview
<https://www.ncbi.nlm.nih.gov/books/NBK1417>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28RPE65%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1800+days%22%5Bdp%5D>

OMIM

- RETINAL PIGMENT EPITHELIUM-SPECIFIC PROTEIN, 65-KD
<http://omim.org/entry/180069>

Research Resources

- ClinVar
<https://www.ncbi.nlm.nih.gov/clinvar?term=RPE65%5Bgene%5D>
- HGNC Gene Symbol Report
http://www.genenames.org/cgi-bin/gene_symbol_report?q=data/hgnc_data.php&hgnc_id=10294

- NCBI Gene
<https://www.ncbi.nlm.nih.gov/gene/6121>
- UniProt
<http://www.uniprot.org/uniprot/Q16518>

Sources for This Summary

- Cai X, Conley SM, Naash MI. RPE65: role in the visual cycle, human retinal disease, and gene therapy. *Ophthalmic Genet.* 2009 Jun;30(2):57-62. doi: 10.1080/13816810802626399. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/19373675>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2821785/>
- Cideciyan AV, Aleman TS, Boye SL, Schwartz SB, Kaushal S, Roman AJ, Pang JJ, Sumaroka A, Windsor EA, Wilson JM, Flotte TR, Fishman GA, Heon E, Stone EM, Byrne BJ, Jacobson SG, Hauswirth WW. Human gene therapy for RPE65 isomerase deficiency activates the retinoid cycle of vision but with slow rod kinetics. *Proc Natl Acad Sci U S A.* 2008 Sep 30;105(39):15112-7. doi: 10.1073/pnas.0807027105. Epub 2008 Sep 22.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18809924>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2567501/>
- Morimura H, Fishman GA, Grover SA, Fulton AB, Berson EL, Dryja TP. Mutations in the RPE65 gene in patients with autosomal recessive retinitis pigmentosa or leber congenital amaurosis. *Proc Natl Acad Sci U S A.* 1998 Mar 17;95(6):3088-93.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/9501220>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC19699/>
- Redmond TM, Poliakov E, Yu S, Tsai JY, Lu Z, Gentleman S. Mutation of key residues of RPE65 abolishes its enzymatic role as isomerohydrolase in the visual cycle. *Proc Natl Acad Sci U S A.* 2005 Sep 20;102(38):13658-63. Epub 2005 Sep 6.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16150724>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1224626/>
- Redmond TM. Focus on Molecules: RPE65, the visual cycle retinol isomerase. *Exp Eye Res.* 2009 May;88(5):846-7. doi: 10.1016/j.exer.2008.07.015. Epub 2008 Aug 14. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18762184>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2692084/>
- Thompson DA, Gyürüs P, Fleischer LL, Bingham EL, McHenry CL, Apfelstedt-Sylla E, Zrenner E, Lorenz B, Richards JE, Jacobson SG, Sieving PA, Gal A. Genetics and phenotypes of RPE65 mutations in inherited retinal degeneration. *Invest Ophthalmol Vis Sci.* 2000 Dec;41(13):4293-9.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/11095629>
- Travis GH, Golczak M, Moise AR, Palczewski K. Diseases caused by defects in the visual cycle: retinoids as potential therapeutic agents. *Annu Rev Pharmacol Toxicol.* 2007;47:469-512. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16968212>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2442882/>
- den Hollander AI, Roepman R, Koenekoop RK, Cremers FP. Leber congenital amaurosis: genes, proteins and disease mechanisms. *Prog Retin Eye Res.* 2008 Jul;27(4):391-419. doi: 10.1016/j.preteyeres.2008.05.003. Epub 2008 Jun 1. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/18632300>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/gene/RPE65>

Reviewed: August 2010
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services